ADVISORY REVIEW BOARD'S VARIANCE AGENDA

DATE: May 14, 2014 MEETING LOCATION: Via Telephone Conference

RECOMMENDATIONS

BOARD DOH FINAL DOHCHD MOTION VOTE ACTION

AP	APPLICANT'S NAME	COUNTY	SECTION OF LAW OR	Α	D	Α	D	Y	N	Α	D	PROVISOS	PROVISOS	DATE
#	AND ADDRESS	OF	RULE	Ρ	\mathbf{E}	Ρ	E	E	0	Ρ	E	RECOMMENDED	REQUIRED	LETTER
		PROJECT	AND SPECIFIC	R	N	R	N	S		R	N	BY BOARD	BY DOH	MAILED
			VARIANCE(S) REQUESTED	V	Y	V	Y			V	Y			

2571	City of Melbourne	Brevard	64E-9.011(2)(a)3.a. Slide						
	900 East Strawbridge Ave		terminus shall be flush with the						
	Melbourne, FL 32901		pool wall and be at or below						
			the pool water surface.						
	Sherwood Park Pool Slide		_						
	2479 Post Road								
	Melbourne, FL								
2572	Scott Hamblin	Okaloosa	64E-9.011(3)(b) Water activity						
	1040 Hwy 98 East		pools shall be constructed of						
	Destin, FL 32541		concretewith a nontoxic,						
	ŕ		smooth and slip resistant finish.						
	Sundestin Splash Pad								
	1040 Hwy 98 East		Rubberized finish provided.						
	Destin, FL		_						
2573	Preferred Pools	Pinellas	64E-9.006(1)(c)1. Inside						
	5110East Broadway Ave		corners must have a two inch						
	Tampa, FL 33619		radius.						
	• '		64E-9.006(1)(e)2. Bench seats						
	Carillon Swimming Pool		are to be 14 to 18 inches wide.						
	540 Trinity Lane		64E-9.007(4) Pumps located						
	St Petersburg, FL 33731		above the water level of the						
	0		pool are to be self-priming						
2574	Neill Mathes	Broward	64E-9.008(10) Floating and						
	Parks and Recreation		climb-on devices shall not be						
	City of Deerfield Beach		teathered in the pool without						
	150 N.E. 6 th Ave		engineering modification						
	Deerfield Beach, FL 33441		application and department						
			approval.						
	City of Deerfield Beach								
	Aquatic Center								
	501 N.E. 6 th Ave								
	Deerfield Beach, FL 33441								<u> </u>

ADVISORY REVIEW BOARD'S VARIANCE AGENDA

DATE: May 14, 2014 MEETING LOCATION: Via Telephone Confrence

RECOMMENDATIONS

BOARD DOH FINAL DOHCHD MOTION VOTE ACTION

AP #	APPLICANT'S NAME AND ADDRESS	COUNTY	SECTION OF LAW OR RULE	A P	D E	A P	D F	Y	N O	A P	D E	PROVISOS RECOMMENDED	PROVISOS REQUIRED	DATE LETTER
Π	AND ADDRESS	PROJECT	AND SPECIFIC	R	N	R	E N	E S		R	N	BY BOARD	BY DOH	MAILED
			VARIANCE(S) REQUESTED	V	Y	V	Y			V	Y			
	Kimes Engineering	Manatee	64E-9.007(9)(f) Maximum						l			<u> </u>		
2575	3990 SR 64 East	Ivialiatee	flow per inlet is 20 GPM.											
	Bradenton, FL 34208		p											
	Et-in 1-1 Att-													
	Fountain lakes Apartments Pool Modification													
	5620 Fountain Lake Circle													
	Bradenton, FL 34207													